



HOW TO OPEN A MAK INTERVENTION (After nurse verification) To send to the pharmacist

Log in to MAK, select the patient you would like to initiate an intervention, click on the Intervention tab, then

The screenshot shows the MAK software interface. At the top, it displays "UCHC - DANANNE VIBERT, RN (MFIC) - [FIXKIT, TESTFOUR (00007005783)]". Below this, there are tabs for "Options", "Diagnoses", "Window", and "Help". The main area shows patient information: "FIXKIT, TESTFOUR" in a dropdown menu, "Next" button, "New Patient List" button, and "Log Out" button. Patient details include: Sex: F, Birth Date: 07/07/1977, Svc: OTH, Age: 30Y, LOS: 42, MFIC G068P, and All Dr: PROVIDER NOT ON FILE. Below this, there are tabs for "Druglist", "Demographics", "Diagnoses", "Lab Results", "Med Summary", "Cumulative Dose", "Interventions" (highlighted with a red circle), and "Charted List". At the bottom, there is a table with columns: Drug, Problem, Status, Date / Time, Doctor Name, Action Code 1, Owner, Order #, and Intervention #.

Select **ADD**; bottom left of the form

Complete the Clinical Intervention Form

- ⇒ Enter the medication into the drug field; select the medication from the drug selection. Be sure to select the correct dose and route.
- ⇒ Enter the problem by selecting an item from the drop down box
- ⇒ Complete **ACTION 1: Contact RPH**
- ⇒ Enter in the specific information you would like to communicate to the Pharmacist
- ⇒ Enter in your full name, if pharmacy has any questions they will contact you directly!
- ⇒ Change the **Pharmacy access to UPDATE**
- ⇒ Select **SAVE**

Clinical Intervention - Add for WEEPING, WILMA

* Drug: Action 1: CONTACTED PHARMACIST

Problem: POE RELATED ISSUE Action 2:

Significance: Acceptance:

Intervention: Outcome:

TIME SPENT:

COST:

Comments:

Pharmacy Access: None View Update

Doctor: Review Date:

Close Intervention

Your intervention will remain open until pharmacist reviews and makes the appropriate changes.

Interventions should be open for the following:

- ⇒ **Approved times of administration changes**
- ⇒ **Medication without barcode**
- ⇒ **Barcode not scanning**
- ⇒ **Pharmacy label covering barcode**
- ⇒ **Questioning of appropriate medication, dosing or frequency**

We are no longer utilizing RX messaging only INTERVENTIONS!



HOW TO OPEN AN MAK INTERVENTION (Prior to nurse verification) To send to pharmacy

- ⇒ From the MED SUMMARY tab select the medication to be verified; the medication with the **RED** tip pencil
- ⇒ The order detail page will display
- ⇒ Select intervention noted at bottom

Admin History for past hours : Future hours

Time	Dose	Status	Charted D/T	Charted By	Admin Dose	Admin Site	Char
8:00 11/13	15 ML						
4:00 11/13	15 ML						
0:00 11/13	15 ML						

Complete Clinical Intervention Form

- ⇒ Note the medication and dose information will already be entered
- ⇒ Enter the problem by selecting an item from the drop down box
- ⇒ Enter in the specific information you would like to communicate to the Pharmacist
- ⇒ Enter in your full name, if pharmacy has any questions they will contact you directly!
- ⇒ Select **SAVE**

Clinical Intervention - Add for Order #: 34

Drug: MIRACLE MOUTH WASH Action 1: RPH CONTACTED PHARMACIST

Problem: MNS MEDICATION NOT SCANNING Action 2:

Significance: Acceptance:

Intervention: Outcome:

TIME SPENT:

COST:

Comments: Barcode on bottle not scanning. Dana Vibert RN Pharmacy Access
 None View Update

Doctor: 002382 MCNALLY MD, DANIEL P, Review Date: Close Intervention

Your intervention will remain open until pharmacist reviews and makes the appropriate changes/notes.

⇒ **Once the pharmacist closes the intervention you will need to verify the order prior to administration**

Interventions should be open for the following:

- ⇒ **Approved times of administration changes**
- ⇒ **Medication without barcode**
- ⇒ **Barcode not scanning**
- ⇒ **Pharmacy label covering barcode**
- ⇒ **Questioning of appropriate medication, dosing or frequency**

We are no longer utilizing RX messaging only INTERVENTIONS!